

SENIOR AFTERMARKET  
HIGH PERFORMANCE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
<b>UNLINED FLEX PRODUCT</b>					
AM40150-2-301	100MM	38MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM60150-2-301	150MM	38MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM80150-2-301	200MM	38MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM90150-2-301	225MM	38MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM100150-2-301	250MM	38MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM110150-2-301	275MM	38MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4042-2-301	100MM	42MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6042-2-301	150MM	42MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8042-2-301	200MM	42MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9042-2-301	225MM	42MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10042-2-301	250MM	42MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11042-2-301	275MM	42MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM40175-2-301	100MM	45MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM60175-2-301	150MM	45MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM80175-2-301	200MM	45MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM90175-2-301	225MM	45MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM100175-2-301	250MM	45MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM110175-2-301	275MM	45MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4048-2-301	100MM	48MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6048-2-301	150MM	48MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8048-2-301	200MM	48MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9048-2-301	225MM	48MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10048-2-301	250MM	48MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11048-2-301	275MM	48MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4020-2-301	100MM	51MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6020-2-301	150MM	51MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8020-2-301	200MM	51MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9020-2-301	225MM	51MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10020-2-301	250MM	51MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11020-2-301	275MM	51MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid

SENIOR AFTERMARKET  
HIGH PERFORMANCE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
AM4054-2-301	100MM	54MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6054-2-301	150MM	54MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8054-2-301	200MM	54MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10054-2-301	250MM	54MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4057-2-301	100MM	57MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6057-2-301	150MM	57MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8057-2-301	200MM	57MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10057-2-301	250MM	57MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4060-2-301	100MM	60MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6060-2-301	150MM	60MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8060-2-301	200MM	60MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9060-2-301	225MM	60MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10060-2-301	250MM	60MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11060-2-301	275MM	60MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4025-2-301	100MM	63.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6025-2-301	150MM	63.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8025-2-301	200MM	63.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10025-2-301	250MM	63.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4030-2-301	105MM	76.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6030-2-301	150MM	76.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8030-2-301	200MM	76.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10030-2-301	250MM	76.5MM	Exhaust Flex	Unlined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid

SENIOR AFTERMARKET  
HIGH PERFORMANCE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
<b>BRAID LINED FLEX PRODUCT</b>					
AM40150L-2-301	100MM	38MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM60150L-2-301	150MM	38MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM80150L-2-301	200MM	38MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM90150L-2-301	225MM	38MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM100150L-2-301	250MM	38MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM110150L-2-301	275MM	38MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4042L-2-301	100MM	42MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6042L-2-301	150MM	42MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8042L-2-301	200MM	42MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9042L-2-301	225MM	42MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10042L-2-301	250MM	42MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11042L-2-301	275MM	42MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM40175L-2-301	100MM	45MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM60175L-2-301	150MM	45MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM80175L-2-301	200MM	45MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM90175L-2-301	225MM	45MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM100175L-2-301	250MM	45MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM110175L-2-301	275MM	45MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4048L-2-301	100MM	48MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6048L-2-301	150MM	48MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8048L-2-301	200MM	48MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9048L-2-301	225MM	48MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10048L-2-301	250MM	48MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11048L-2-301	275MM	48MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4020L-2-301	100MM	51MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6020L-2-301	150MM	51MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8020L-2-301	200MM	51MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9020L-2-301	225MM	51MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10020L-2-301	250MM	51MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11020L-2-301	275MM	51MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid

SENIOR AFTERMARKET  
HIGH PERFORMANCE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
AM4054L-2-301	100MM	54MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6054L-2-301	150MM	54MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8054L-2-301	200MM	54MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10054L-2-301	250MM	54MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4057L-2-301	100MM	57MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6057L-2-301	150MM	57MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8057L-2-301	200MM	57MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10057L-2-301	250MM	57MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4060L-2-301	100MM	60MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6060L-2-302	150MM	60MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8060L-2-303	200MM	60MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10060L-2-304	250MM	60MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4025L-2-301	100MM	63.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6025L-2-301	150MM	63.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8025L-2-301	200MM	63.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10025L-2-301	250MM	63.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4030L-2-301	105MM	76.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6030L-2-301	150MM	76.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8030L-2-301	200MM	76.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10030L-2-301	250MM	76.5MM	Exhaust Flex	Braid Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid

SENIOR AFTERMARKET  
HIGH PERFORMANCE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
<b>ILOK LINED FLEX PRODUCT</b>					
AM4042-2-ILOK	100MM	42MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6042-2-ILOK	150MM	42MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8042-2-ILOK	200MM	42MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9042-2-ILOK	225MM	42MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10042-2-ILOK	250MM	42MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11042-2-ILOK	275MM	42MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM40175-2-ILOK	100MM	45MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM60175-2-ILOK	150MM	45MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM80175-2-ILOK	200MM	45MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM90175-2-ILOK	225MM	45MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM100175-2-ILOK	250MM	45MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM110175-2-ILOK	275MM	45MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4048-2-ILOK	100MM	48MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6048-2-ILOK	150MM	48MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8048-2-ILOK	200MM	48MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9048-2-ILOK	225MM	48MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10048-2-ILOK	250MM	48MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11048-2-ILOK	275MM	48MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4020-2-ILOK	100MM	51MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6020-2-ILOK	150MM	51MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8020-2-ILOK	200MM	51MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9020-2-ILOK	225MM	51MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10020-2-ILOK	250MM	51MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11020-2-ILOK	275MM	51MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4054-2-ILOK	100MM	54MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6054-2-ILOK	150MM	54MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8054-2-ILOK	200MM	54MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10054-2-ILOK	250MM	54MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid

SENIOR AFTERMARKET  
HIGH PERFORMANCE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
AM4057-2-ILOK	100MM	57MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6057-2-ILOK	150MM	57MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8057-2-ILOK	200MM	57MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10057-2-ILOK	250MM	57MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4060-2-ILOK	100MM	60MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6060-2-ILOK	150MM	60MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8060-2-ILOK	200MM	60MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9060-2-ILOK	225MM	60MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10060-2-ILOK	250MM	60MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11060-2-ILOK	275MM	60MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4025-2-ILOK	100MM	63.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6025-2-ILOK	150MM	63.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8025-2-ILOK	200MM	63.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM9025-2-ILOK	225MM	63.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10025-2-ILOK	250MM	63.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM11025-2-ILOK	275MM	63.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM4030-2-ILOK	100MM	76.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM6030-2-ILOK	150MM	76.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM8030-2-ILOK	200MM	76.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid
AM10030-2-ILOK	250MM	76.5MM	Exhaust Flex	Interlock Lined	ALL STAINLESS STEEL Twin Ply Bellows with External Braid

\* Overall length dimensions in mm are derived from Imperial measurements and are as guide only. Please see specific item drawing for exact mm overall length dimension.