

SENIOR AFTERMARKET UNIVERSAL COMMERCIAL VEHICLE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
AM4030-2-301	105	76.5	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM6030-2-301	150	76.5	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM8030-2-301	200	76.5	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM9030-2-301	225	76.5	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM10030-2-301	265	76.5	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM11030-2-301	280	76.5	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM4030L	105	76.5	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM6030L	150	76.5	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM8030L	200	76.5	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM9030L	225	76.5	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM10030L	265	76.5	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM11030L	280	76.5	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM4030ILOK	105	76.5	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM6030ILOK	150	76.5	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM8030ILOK	200	76.5	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM9030ILOK	225	76.5	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM10030ILOK	265	76.5	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM11030ILOK	280	76.5	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM4035	105	90	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM6035	150	90	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM8035	200	90	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM9035	225	90	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM10035	265	90	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM11035	280	90	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM4035L	105	90	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM6035L	150	90	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid

SENIOR AFTERMARKET UNIVERSAL COMMERCIAL VEHICLE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
AM8035L	200	90	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM9035L	225	90	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM10035L	265	90	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM11035L	280	90	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM4035ILOK	105	90	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM6035ILOK	150	90	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM8035ILOK	200	90	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM9035ILOK	225	90	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM10035ILOK	265	90	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM11035ILOK	280	90	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM40104	105	104	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM60104	150	104	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM80104	200	104	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM90104	225	104	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM100104	265	104	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM110104	280	104	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM40104L	105	104	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM60104L	150	104	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM80104L	200	104	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM90104L	225	104	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM100104L	265	104	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM110104L	280	104	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM40104ILOK	105	104	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM60104ILOK	150	104	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM80104ILOK	200	104	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM90104ILOK	225	104	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM100104ILOK	265	104	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid

SENIOR AFTERMARKET UNIVERSAL COMMERCIAL VEHICLE EXHAUST FLEX PRODUCT RANGE



Senior Part	Dimensions		Product	Lining	Notes
	Overall Length	Interface Dia			
AM110104ILOK	280	104	Exhaust Flex	Interlock Lined	Twin Ply Bellows with External Braid
AM40114	105	114	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM60114	150	114	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM80114	203	114	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM100114	265	114	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM40114L	105	114	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM60114L	150	114	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM80114L	203	114	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM100114L	265	114	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM40127	105	127	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM60127	150	127	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM80127	200	127	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM100127	250	127	Exhaust Flex	Unlined	Twin Ply Bellows with External Braid
AM40127L	105	127	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM60127L	150	127	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM80127L	200	127	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid
AM100127L	250	127	Exhaust Flex	Braid Lined	Twin Ply Bellows with External Braid

* Overall length dimensions in mm are derived from Imperial measurements and are as guide only. Please see specific item drawing for exact mm overall length dimension.